

Xenon Standard 35 W PK32d-2

The NEOLUX 12 V xenon headlight lamps are characterized by an especially long life and a light color and intensity which create a daylight effect. The result: a better-illuminated road.



Product family benefits

- Better visibility
- Remarkable illumination
- More light enables drivers to see farther and thereby allows greater reaction time
- Longer replacement cycle
- Suitable for many xenon headlights

Product family features

- Clear white and bright light
- Focused light beam
- Light color and intensity create a daylight effect
- Long lifetime
- Good quality thanks to German technology

Areas of application

- Headlight



NX1S



NX1S-1SCB

Electrical data

Nominal wattage	35.00 W
Nominal voltage	85.0 V

Photometrical data

Color temperature	4250 K
-------------------	--------

Dimensions & weight

Product weight	59.00 g
Length	83.2 mm

Additional product data

Base (standard designation)	PK32d-2
-----------------------------	---------

Certificates & standards

ECE category	D1S
--------------	-----

Logistical data

Order reference	NX1S
-----------------	------

Environmental information

Date of Declaration	11-03-2022
Primary Article Identifier	4052899215955 4055462206763 4055462206848 4052899589315 4055462299024 4055462250407


Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1

Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
----------------------	--

Declaration No. in SCIP database	9db66819-9f35-48bf-b0f4-1ee842f834a3 cc2e7cfc-4fb3-4551-91e1-2b14ebe658d2 00062f57-f316-4b29-a061-dcabc68aa7c3 35336669-a06a-49c1-93df-cc582ab57443
----------------------------------	---

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
NX1S	4052899215955	Folding box	1
NX1S-SCB	4052899589315	Soft cover box	1



Safety advice

Xenon lamp change is recommended to be carried out by a professional and in pairs

NEOLUX[®]
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 6
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com