

Xenon Standard 35 W PK32d-5

The NEOLUX 12 V xenon headlight lamps are characterized by an especially long life and a light color and intensity which create a daylight effect. The result: a better-illuminated road.



Product family benefits

- Better visibility
- Remarkable illumination
- More light enables drivers to see farther and thereby allows greater reaction time
- Longer replacement cycle
- Suitable for many xenon headlights

Product family features

- Clear white and bright light
- Focused light beam
- Light color and intensity create a daylight effect
- Long lifetime
- Good quality thanks to German technology

Areas of application

- Headlight



NX3S

Electrical data

Nominal wattage	35.00 W
Nominal voltage	42.0 V

Photometrical data

Color temperature	4300 K
-------------------	--------

Dimensions & weight

Product weight	60.20 g
Length	83.2 mm

Additional product data

Base (standard designation)	PK32d-5
-----------------------------	---------

Certificates & standards

ECE category	D3S
--------------	-----

Logistical data


Order reference	NX3S
-----------------	------

Environmental information

Date of Declaration	11-03-2022
Primary Article Identifier	4052899478763 4055462206800 4055462206886 4052899589339 4055462299086 4055462392459 4055462250483
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	424b537d-8aa6-4d6f-8c26-c5bd7ab5966a 6854a5ed-d04b-4fa1-9db2-11355e5dad31 de94977f-573c-4866-925c-380b5e040508 a093c83f-1319-415a-89d0-8be9015a6e73

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
NEOLUX			
NX3S	4052899478763	Folding box	1



Safety advice

Xenon lamp change is recommended to be carried out by a professional and in pairs

NEOLUX[®]
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 6
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com